




ALPTECH INTERNATIONAL

**Address:** Plot No. A/232, Road No. 21, 'Y' Lane, Wagle Estate, Thane-400 604. INDIA. | **Telephone No.:** +91 9769976747 / 22-25823203  
**Email.:** alptechinternational@gmail.com | **Web.:** www.alptechindia.com | **PAN NO.:** AARCA9816A | **GST No.:** 27AARCA9816A1ZJ

## VERTICAL PANEL CUTTING SAW AUTOMATIC SVP420

ACP PROCESSING MACHINES / ITALIAN ACP



**Sale Office:** Office No 9 Gound Floor Sakhi House, Trombay Road, Chembur East, Mumbai - 400071. | **Warehouse:** Gala No 9, A 6 Block, Padmini Complex Off Kalher Naka, Bhiwandi. | **Telephone No.:** 91 9769976747 | **Email:** alptechinternational@gmail.com



ALPTECH INTERNATIONAL

**Address:** Plot No. A/232, Road No. 21, 'Y' Lane, Wagle Estate, Thane-400 604. INDIA. | **Telephone No.:** +91 9769976747 / 22-25823203  
**Email.:** alptechinternational@gmail.com | **Web.:** www.alptechindia.com | **PAN NO.:** AARCA9816A | **GST No.:** 27AARCA9816A1ZJ

## Description:

PRODUCT DETAILS-For cutting in vertical and horizontal position. Heavy duty machine assuring strength with a welded steel frame. Automatic shifting frame to avoid the cutting of the plastic strips during the horizontal cuts. Bottom aluminium supports with phenolic soles, for a safe support of the panels, and with Lift-up Rollers for a better sliding of the same. Automatic displacement of the beam and saw carriage for horizontal and vertical cuttings; these last are assured in N 5 fixed points locking to the frame. Automatic plunging and returning of saw carriage, with possibility to select the stopping at the end of the cycle or returning to the starting point; n2 feeding speeds: 12-24 mts/1'.

## Specification:

**-Automatic shifting frame: PNEUMATIC**

### Sliding of saw carriage on 2 linear guides

-Short piece cutting device.

-N° 4 positioners for horizontal cuttings.

-N° 2 Stops for vertical cuttings.

### Scoring Unit with 2 Split Saw Blades $\text{Æ}$ 80mm, with independent motor

**(0,25 HP.), with mechanical plunging.**

-Lift-up rollers.

-Pneumatic locking, by switch, of the carriage for horizontal cuttings.

**-Sliding support for narrow pieces.**

-SELF-BRAKING motor.

**-Saw unit and carriage assembly guard.**

-Machine pre-arranged be connected to an independent dust collection


-All standard accessories: safety device, soundproofing, set service tools, user's manual.

## TECHNICAL DATA -

Max. length of cut :mm 4200

Max. height of cut :mm 2200

**Product Code:** PRO-72

**Country:**  Italian

**HSN Code:** 0

**Unit:** 0

**Gross Weight:** 0

**Net Weight:**

**Dimension:** 0

**Sale Office:** Office No 9 Gound Floor Sakhi House, Trombay Road, Chembur East, Mumbai - 400071. | **Warehouse:** Gala No 9, A 6 Block, Padmini Complex Off Kalher Naka, Bhiwandi. | **Telephone No.:** 91 9769976747 | **Email:** alptechinternational@gmail.com



ALPTECH INTERNATIONAL

**Address:** Plot No. A/232, Road No. 21, 'Y' Lane, Wagle Estate, Thane-400 604. INDIA. | **Telephone No.:** +91 9769976747 / 22-25823203  
**Email.:** alptechinternational@gmail.com | **Web.:** www.alptechindia.com | **PAN NO.:** AARCA9816A | **GST No.:** 27AARCA9816A1ZJ

---

Max. height of horizontal cut :mm 2080

**Max. depth of cut :mm 60**

Motor output :HP 6 (4.5 Kw)

Blade diameter :mm 250

Blade speed:rpm 5300

---

**Sale Office:** Office No 9 Gound Floor Sakhi House, Trombay Road, Chembur East, Mumbai - 400071. | **Warehouse:** Gala No 9, A 6 Block, Padmini Complex Off Kalher Naka, Bhiwandi. | **Telephone No.:** 91 9769976747 | **Email:** alptechinternational@gmail.com